

APPLICATION FOR ACCESS APPROACH CONSTRUCTION

APPLICANT					<u>P</u>	Proposed Approach Design:	
ADDRESS:						Twp Rd	
PHONE: I/We hereby make app			ess approach		PA 697	Sec. Num:	
to the location describ					-		
1⁄4 Sect	ion	Township	Range	W4	-M	[
Lot,]	Block	, Plan				Twp Rd	
Purpose of Approach:						(\mathbf{N})	
					Street / Ave.	Street / Ave.	
						Street / Ave.	
Construction per Name of Contractor When construction approach developm final inspection is c	erformed by t (if applicabl is performe nent agreem ompleted.	d by the applicant ent with Lac La B	nencement d t or a private iche County	e contractor, t and will be re	he applican egistered ag		
File Number:		D New]	Developmen	t 🗆 New Subo	division		
Date: Signature of applic							
in accordance to current Lac La Biche County Access Approach Guidelines, at the above noted location standa				grant final cceptance for the access approach constructed at the pove noted location. The approach has been onstructed to the Current Lac La Biche County andards.			
Date of Approval		Signature		Date of Approva		Signature	

The construction of this Access Approach shall be undertaken in accordance with the Approach Development Guidelines set out by Lac La Biche County's Transportation Services Department. In addition, all costs associated with the construction of the proposed access approach are to be borne by the applicant. Such construction is to be undertaken as follows:

- 1. The applicant must notify the County at least 48 hours before commencing any work on the project. Contact: Manager of Transportation Services at (780) 623-1747
- 2. The applicant must place traffic warning signs in the immediate vicinity of the work at the time of construction.
- 3. The applicant shall be responsible for all damages to County owned facilities, regardless if the work is carried out in the presence of County employees or agents.
- 4. The applicant shall hereby indemnify Lac La Biche County from any damages, costs, or claims against it, in the construction of the approach until which time the approach has been accepted by Lac La Biche County.
- 5. The culvert diameter shall be a minimum of 500mm, 16 meters in length and complete with beveled ends. All culverts are to be sized to drainage requirements.

NOTE: ONLY NEW CULVERTS ARE TO BE INSTALLED. USED CULVERTS ARE NOT PERMITTED

- 6. Any access required for continuous use by semi-trailer units shall have a minimum width of 14 meters with appropriate culvert length to suite side slope requirements. The minimum width of all approaches is 10 meters.
- 7. The approach is to be constructed of clay compacted at 100% Proctor Moisture and Density.
- 8. The approach is to be surfaced with Designation 4; Class 20 crushed road gravel to a minimum of 50mm.
- The new approach elevations must tie into the existing road at the shoulder. All approaches shall have a -2% grade from the shoulder of the road out towards the right of way boundary for a minimum of 10 meters prior to tying into existing roads or private driveway.
- 10. The condition included on the attached "Typical Approach Cross-Section" must also be complied with.
- 11. The applicant must notify Lac La Biche County at the completion of the approach construction to arrange for an inspection of the approach.